

Young Males 15-29 Years

Fatal Drowning Data Brief





Royal Life Saving is focused on reducing drowning and promoting healthy, active and skilled communities through innovative, reliable, evidence-based advocacy; strong and effective partnerships; and quality programs, products and services-underpinned by a cohesive and sustainable national organisation. Royal Life Saving Society – Australia is a public benevolent institution (PBI) dedicated to reducing drowning and turning everyday people into everyday community lifesavers.

> OUR VISION

A water-loving nation free from drowning.

> OUR PURPOSE

To lead efforts to reduce drowning and increase swimming, water safety and lifesaving skills.

> OUR VALUES

- Leadership, Collaboration and Integrity
- Humanitarianism and Social Entrepreneurship
- Quality and Innovation
- Diversity, Equality and Respect

About this Report

The information presented in this Data Brief is from the Royal Life Saving National Fata Drowning Database, which relies on data collated from the National Coronial Information System (NCIS), State and Territory Coronial offices and year-round media monitoring. Information contained within the NCIS is made available by the Victorian Department of Justice and Community Safety.

Authors: Lauren Miller and William Koon

Publisher: Royal Life Saving Society – Australia

Date of Publication: November 2023


Suggested Citation:

Miller, L. & Koon, W. (2023) Fatal Drowning Data Brief: Young Males 15-29 Years. Royal Life Saving Society – Australia




ACKNOWLEDGEMENT OF COUNTRY

Royal Life Saving Society – Australia acknowledge the Aboriginal and Torres Strait Islander people of this nation. We pay our respects to their Elders past and present, recognising their continued connection to land, waters and communities.




TRENDS OVER TIME



Crude fatal drowning rates among young males (15-29 years) per 100,000 population decreased at a statistically significant level between 2002/03 and 2022/23, on average by 1.45% each year (Annual Percent Change = -1.45; 95%CI: -2.9 - -0.01; p = 0.019).

Time trends analysed using Joinpoint Regression.


CIRCUMSTANCES OF DROWNING DEATHS



The following bar charts show the percent of drowning deaths by for young males (15-29 years) compared to everyone else (inclusive of females and males of all other ages), July 2002 – June 2023.

Drowning location

Young males drown in greater proportions at beaches, rivers, and rocks compared to everyone else.




Activity prior to drowning

Young males drown in greater proportions while swimming & recreating and from jumping in compared to everyone else.


Drugs involved

No difference between young males and everyone else in terms of drowning deaths involving drugs.



PERSON-BASED FATAL DROWNING FACTORS

Young males drown in greater proportions farther away from home compared to everyone else.




Higher proportions of young males were born overseas compared to everyone else.



> 38% were born overseas

- 10% of which were from India
- 8% of which were from China
- 6% of which were from South Korea
- 5% of which were from New Zealand
- > 47% were born in Australia
 - 11% of which were Aboriginal or Torres Strait Islander
- > 15% country of birth unknown



Age in years at time of fatal drowning death





FOR MORE INFORMATION Call 02 8217 3111 Email info@rlssa.org.au

CONNECT WITH US

- f RoyalLifeSaving
- 🗶 RoyalLifeSaving
- 😇 RoyalLifeSaving
- RoyalLifeSavingAust
- 📘 RoyalLifeSaving.com.au