



.....

SUPERVISED CHILDREN NEVER DROWN

.....

**BE PREPARED
BE CLOSE
ALL OF YOUR ATTENTION
ALL OF THE TIME!**

.....

Contact your local Council or visit:
swimmingpoolregister.nsw.gov.au
bepoolsafe.com.au



..... LEARNING TO SWIM IS GREAT

BUT YOU CAN'T DROWNPROOF A CHILD!

.....
SUPERVISE. CREATE RULES. LEARN RESUSCITATION.
.....

Contact your local Council or visit:
swimmingpoolregister.nsw.gov.au
bepoolsafe.com.au



..... RESULT?

DEVASTATION

.....



.....

ARE THE LATCHES WORKING PROPERLY?
DOES IT CLOSE FIRST TIME, EVERY TIME?

.....

CHECK THE FENCE AND GATE NOW!

.....

Contact your local Council or visit:
swimmingpoolregister.nsw.gov.au
bepoolsafe.com.au



NO CPR CHART? YOU'RE BREAKING THE LAW!

EVERYONE CAN BE A LIFESAVER




A GUIDE TO CPR

KEEP WATCH

WWW.KEEPWATCH.COM.AU

- YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS SWIMMING POOL.
- POOL GATES ARE TO BE KEPT CLOSED AT ALL TIMES.
- KEEP ARTICLES, OBJECTS AND STRUCTURES AT LEAST 900 MILLIMETRES CLEAR OF THE POOL FENCE AT ALL TIMES.

DANGER	CHECK FOR DANGER TO SELF / TO BYSTANDERS / TO CASUALTY / REMOVE HAZARDS
RESPONSE	CHECK FOR RESPONSE CAN YOU HEAR ME / OPEN YOUR EYES / WHAT'S YOUR NAME SQUEEZE MY HAND / PLEASE LET GO
SEND	SEND FOR HELP CALL OR ASK A BYSTANDER TO PHONE '000'
AIRWAY	OPEN AIRWAY CHECK AND CLEAR / POSITION CASUALTY ON BACK SUPPORT HEAD, TILT SLIGHTLY, CHECK AND CLEAR MOUTH
BREATHING	BREATHING NORMALLY? YES, PLACE IN RECOVERY POSITION / NO, COMMENCE CPR
CPR	<p>COMMENCE CPR / 30:2 GIVE 30 CHEST COMPRESSIONS FOLLOWED BY 2 RESCUE BREATHS</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>LOCATE COMPRESSION POINT FIND THE CENTRE OF THE CHEST. PLACE THE HEEL OF YOUR HAND ON THE COMPRESSION POINT WITH THE FINGERS PARALLEL TO THE RIBS AND SLIGHTLY RAISED. PLACE YOUR OTHER HAND ON TOP OF THE FIRST.</p>  </div> <div style="width: 45%;"> <p>CHEST COMPRESSIONS COMPRESS TO APPROX 1/3 OF DEPTH OF CHEST. 30 COMPRESSIONS AT A RATE OF 100 PER MINUTE.</p>  </div> </div> <p>RESCUE BREATHS SUPPORT HEAD AND JAW. A SLIGHT HEAD TILT MAY BE NECESSARY TO OPEN THE AIRWAY. DELIVER 2 BREATHS ALLOWING 1 SECOND PER INHALATION.</p> <p>RECOVERY POSITION IF NORMAL BREATHING RETURNS, POSITION CASUALTY ON SIDE. ENSURE THE AIRWAY REMAINS CLEAR.</p>  <p><small>IF UNWILLING / UNABLE TO PERFORM RESCUE BREATHS CONTINUE CHEST COMPRESSIONS.</small></p> <p><small>FOR INFANTS (BIRTH - 1 YEAR): DO NOT TILT HEAD. COVER BOTH NOSE AND MOUTH FOR RESCUE BREATHS. USE 2 FINGERS TO COMPRESS CHEST 1/3 OF DEPTH.</small></p>
DEFIBRILLATION	<p>ATTACH DEFIBRILLATOR (AED) AS SOON AS AVAILABLE FOLLOW AED PROMPTS / CONTINUE CPR UNTIL SIGNS OF NORMAL BREATHING AND RESPONSIVENESS RETURN</p> 

THE INFORMATION CONTAINED IN THIS POSTER IS RECOMMENDED FOR AQUATIC RELATED EMERGENCIES, IT IS NO SUBSTITUTE FOR FORMAL INSTRUCTION.
ENROL IN A CPR COURSE AND UPDATE YOUR SKILLS ANNUALLY. © RLSA 2012

**FOR MORE INFO CALL:
1300 737 763**

.....

ALL SWIMMING POOLS ARE REQUIRED TO HAVE A CPR CHART DISPLAYED WITHIN THE SWIMMING POOL AREA

.....

Contact your local Council or visit:
swimmingpoolregister.nsw.gov.au
bepoolsafe.com.au

